









093728




**BEAUFORT**


<b>0</b>	<1 km/h <1 mph <0.3 m/s		
<b>1</b>	1.1 - 5.5 km/h 1-3 mph 0.3 - 1.5 m/s		
<b>2</b>	5.6 - 11 km/h 4-7 mph 1.6 - 3.4 m/s		
<b>3</b>	12 - 19 km/h 8-12 mph 3.5 - 5.4 m/s		
<b>4</b>	20 - 28 km/h 13-17 mph 5.5 - 7.9 m/s		
<b>5</b>	29 - 38 km/h 18-24 mph 8.0 - 10.7 m/s		
<b>6</b>	39 - 49 km/h 25 - 30 mph 10.8 - 13.8 m/s		
<b>7</b>	50 - 61 km/h 31 - 38 mph 13.9 - 17.1 m/s		
<b>8</b>	62 - 74 km/h 39 - 46 mph 17.2 - 20.7 m/s		
<b>9</b>	75 - 88 km/h 47 - 54 mph 20.8 - 24.4 m/s		
<b>10</b>	89 - 102 km/h 55 - 63 mph 24.5 - 28.4 m/s		
<b>11</b>	103 - 117 km/h 64 - 73 mph 28.5 - 32.6 m/s		
<b>12</b>	≥ 118 km/h ≥ 74 mph ≥ 32.7 m/s		
<b>MAX</b>		<b>45 km/h</b> <b>28 mph</b> <b>12,5 m/s</b>	




		<p><b>P40.17</b> </p>			 <p>bar - psi</p>
	<p>405/70-24 14PR MITAS MPT-01                  400/70-24 158A8 BKT CONSTAR                  400/70-24 158A8 MICHELIN POWER CL                  400/80-24 162A8 MICHELIN IND TL POWER CL                  445/65 R22.5 169F MITAS AR-01                  18 R22.5 175A8/182A2 MICHELIN XF-TL</p>	 <p>bar - psi</p> <p>4.0 - 58                  4.5 - 65                  5.0 - 72                  5.0 - 72                  6.0 - 87                  6.0 - 87</p>	<p><b>R</b></p>		<p>113551</p>
















121176
















































121187









121189











121191







121193

P40.17

